

**AMENDMENTS TO THE CLAIMS**

1-5. (CANCELED)

6. (CURRENTLY AMENDED) A digital camera, wherein:

the digital camera has a self-timer image-capturing function;

the digital camera is mounted to a cradle;

the cradle has a terminal to communicate with an external device carrying out two-way communication, and a power output terminal to output a direct voltage source;

the digital camera carries out two-way communication with the external device via the cradle;

the digital camera has a charging function of charging a battery in the digital camera by the direct voltage source input from the power output terminal of the cradle when power of the digital camera is off; and

the digital camera comprises a first indicating device which is arranged on a front of the digital camera,

wherein the first indicating device indicates a situation in self-timer image-capturing by at least one of lighting and blinking, and indicates a charging situation by the charging function,

wherein the first indicating device indicates the two-way communication with the external device when the two-way communication is performed,

wherein the first indicating device indicates the self-timer image-capturing function when the two-way communication is not performed and the self-timer image-capturing is performed,

wherein the digital camera further comprises

a second indicating device which is arranged on a rear of the digital camera and indicates the charging situation by the charging function; and

a detecting device which detects mounting/non-mounting of the digital camera to the cradle,

wherein when the detecting device detects mounting to the cradle, the charging situation of the digital camera is indicated by the first indicating device, and when the detecting device

detects non-mounting to the cradle, the charging situation of the digital camera is indicated by the second indicating device on the rear of the camera.

7-37. (CANCELED)

38. (CURRENTLY AMENDED) ~~The~~ A digital camera according to claim 37, which has a first function of self-timer image-capturing function and a second function different from the first function, the digital camera comprising:

an indicating device which is arranged on a front of the digital camera, wherein the indicating device indicates a situation in self-timer image-capturing by at least one of lighting and blinking, and indicates an operation situation of the second function; and

a CPU,

wherein the second function is at least one of an external device communication function, a battery charging function or a moving image-capturing function,

wherein the indicating device indicates the external device communication function when a communication with an external device is performed,

wherein the indicating device indicates the moving-image capturing function when the communication with the external device is not performed and the moving-image capturing is performed, and

wherein the CPU is further configured to

determine whether a power of the digital camera is turned on or off,

determine whether a battery is inserted into the digital camera when it is determined that the power of the digital camera is turned off,

perform the battery charge function when it is determined that the battery is inserted into the digital camera and the power of the digital camera is turned off, wherein the indicating device indicates that the battery charge function is being performed,

determine whether the digital camera is in communication connection with an external device when it is determined that the power of the digital camera is turned on,

perform the external device communication function with the external device when it is determined that the power of the digital camera is turned on and the digital camera is in communication connection with the external device, wherein the indicating device indicates that the external device communication function is being performed.

\_\_\_\_\_determine whether the digital camera is in image capturing mode when it is determined that the power of the digital camera is turned on and the digital camera is not in communication connection with the external device,

\_\_\_\_\_perform a playback processing function when it is determined that the power of the digital camera is turned on, the digital camera is not in communication connection with the external device and the digital camera is not in image capturing mode,

\_\_\_\_\_determine whether the digital camera is in a self-timer image-capturing mode, a moving image-capturing mode or a voice recording mode when it is determined that the power of the digital camera is turned on, the digital camera is not in communication connection with the external device and the digital camera is in image capturing mode,

\_\_\_\_\_perform the self-timer image-capturing function when it is determined that the power of the digital camera is turned on, the digital camera is not in communication connection with the external device and the digital camera is in the self-timer image-capturing mode, wherein the indicating device indicates that the self-timer image-capturing function is being performed,

\_\_\_\_\_perform the moving image-capturing function when it is determined that the power of the digital camera is turned on, the digital camera is not in communication connection with the external device and the digital camera is in the moving image-capturing mode, wherein the indicating device indicates that the moving image-capturing function is being performed, and

\_\_\_\_\_perform a voice recording function when it is determined that the power of the digital camera is turned on, the digital camera is not in communication connection with the external device and the digital camera is in the voice recording mode, wherein the indicating device indicates that the voice recording function is being performed.

39. (CANCELED)

40. (PREVIOUSLY PRESENTED) The digital camera according to claim 6, further comprising a CPU, wherein the CPU is configured to

- determine whether the power of the digital camera is on or off,
- determine whether the battery is in the digital camera when it is determined that the power of the digital camera is off,
- perform the charging function when it is determined that the battery is in the digital camera and the power of the digital camera is off, wherein the first indicating device indicates that the charging function is being performed,
- determine whether the cradle is in communication connection with the external device when it is determined that the power of the digital camera is on, and
- perform the external device communication function with the external device when it is determined that the power of the digital camera is on and the cradle is in communication connection with the external device, wherein the indicating device indicates that the external device communication function is being performed.

41. (CANCELED)

42. (CURRENTLY AMENDED) ~~The A method of claim 41, further comprising: for~~  
indicating a plurality of functions of a camera, comprising:  
indicating a first function utilizing an indicating device located in a front of the camera,  
wherein the first function is a self-timer image-capturing function; and  
indicating a second function utilizing the indicating device, wherein the second function  
includes a battery charge processing or a moving image-capturing,  
determining whether a power of the camera is turned on or off;  
determining whether a battery is inserted into the camera when it is determined that the  
power of the camera is turned off;  
performing the battery charge function and indicating, utilizing the indicating device, that  
the battery charge function is being performed when it is determined that the battery is inserted  
into the camera and the power of the camera is turned off;

determining whether the camera is in communication connection with an external device when it is determined that the power of the camera is turned on;

performing the external device communication function with the external device and indicating, utilizing the indicating device, that the external device communication function is being performed when it is determined that the power of the camera is turned on and the camera is in communication connection with the external device;

determining whether the camera is in image capturing mode when it is determined that the power of the camera is turned on and the camera is not in communication connection with the external device;

performing a playback processing function when it is determined that the power of the camera is turned on, the camera is not in communication connection with the external device and the camera is not in image capturing mode;

determining whether the camera is in a self-timer image-capturing mode, a moving image-capturing mode or a voice recording mode when it is determined that the power of the camera is turned on, the camera is not in communication connection with the external device and the camera is in image capturing mode;

performing the self-timer image-capturing function and indicating, utilizing the indicating device, that the self-timer image-capturing function is being performed when it is determined that the power of the camera is turned on, the camera is not in communication connection with the external device and the camera is in the self-timer image-capturing mode;

performing the moving image-capturing function and indicating, utilizing the indicating device, that the moving image-capturing function is being performed when it is determined that the power of the camera is turned on, the camera is not in communication connection with the external device and the camera is in the moving image-capturing mode; and

performing a voice recording function indicating, utilizing the indicating device, that the voice recording function is being performed when it is determined that the power of the camera is turned on, the camera is not in communication connection with the external device and the camera is in the voice recording mode,

wherein the second function further includes at least one of communications processing, audio recording, and voice memo processing,

wherein the step of indicating the communications processing is performed when the camera is performing the communications processing with an external device, and

wherein the step of indicating the self-timer image capturing function is performed when the camera is not performing the communications processing with the external device and is performing the self-timer image capturing function.

43. (CANCELED)

44. (CURRENTLY AMENDED) The ~~A~~ digital camera, according to claim 43, comprising:

an indicating device arranged on a front of the digital camera; and

a CPU,

wherein the digital camera is capable of performing a self-timer image-capturing, a battery charging, and a moving-image capturing, and

wherein the indicating device is configured to

indicate the self-timer image-capturing is taking place when the camera performs the self-timer image-capturing,

indicate the battery charging is taking place when the camera performs the battery charging, and

indicate the moving image-capturing is taking place when the camera performs the moving image-capturing,

wherein the CPU is further configured to

determine whether a power of the digital camera is turned on or off,

determine whether a battery is inserted into the digital camera when it is determined that the power of the digital camera is turned off,

perform the battery charging when it is determined that the battery is inserted into the digital camera and the power of the digital camera is turned off,

determine whether the digital camera is in communication connection with an external device when it is determined that the power of the digital camera is turned on.

perform the external device communication function with the external device when it is determined that the power of the digital camera is turned on and the digital camera is in communication connection with the external device, wherein the indicating device indicates that the external device communication function is being performed.

\_\_\_\_\_determine whether the digital camera is in image capturing mode when it is determined that the power of the digital camera is turned on and the digital camera is not in communication connection with the external device,

\_\_\_\_\_perform a playback processing when it is determined that the power of the digital camera is turned on, the digital camera is not in communication connection with the external device and the digital camera is not in image capturing mode,

\_\_\_\_\_determine whether the digital camera is in a self-timer image-capturing mode, a moving image-capturing mode or a voice recording mode when it is determined that the power of the digital camera is turned on, the digital camera is not in communication connection with the external device and the digital camera is in image capturing mode,

\_\_\_\_\_perform the self-timer image-capturing when it is determined that the power of the digital camera is turned on, the digital camera is not in communication connection with the external device and the digital camera is in the self-timer image-capturing mode,

\_\_\_\_\_perform the moving image-capturing when it is determined that the power of the digital camera is turned on, the digital camera is not in communication connection with the external device and the digital camera is in the moving image-capturing mode, and

\_\_\_\_\_perform a voice recording when it is determined that the power of the digital camera is turned on, the digital camera is not in communication connection with the external device and the digital camera is in the voice recording mode, wherein the indicating device indicates that the voice recording is being performed.